



SPALDING®

Freestanding Referee Platform Pads


Model # 438-064 & 438-068



UPPER PAD ASSEMBLY




LEG PAD ASSEMBLIES (4X)



CROSSPIECE PAD (1X)

PADS WRAP AROUND AND ATTACH BACK TO THEMSELVES USING VELCRO



1" RUBATEX PAD WITH 14 OZ. VINYL COVER

1-3/8" CROSS-LINKED POLYETHYLENE FOAM WITH 14 OZ. VINYL COVER

COLORS AVAILABLE:

MODEL #	COLOR
0438068	RED
0438064	BLUE
SPECIAL	YELLOW
SPECIAL	TAN
SPECIAL	GREEN
SPECIAL	WHITE
SPECIAL	GRAY
SPECIAL	BLACK
SPECIAL	MAROON
SPECIAL	GOLD
SPECIAL	ORANGE
SPECIAL	POOL BLUE

FREESTANDING REFEREE PLATFORM PADS

DO NOT SCALE

SCG #0438068/0438064




SPALDING SPECIFICATIONS

DATE: 01/01/06

MODEL NUMBER: 438-068 & 438-064

DESCRIPTION: Freestanding Referee Platform Pads

GENERAL DIMENSIONS: These referee platform pads are designed for use with Spalding's model 438-116 Freestanding Referee Platform. They come in five sections: one platform pad, four leg pads and one cross bar pad. These pads meet or exceed NHSF padding specifications.



CONSTRUCTION:

Platform Pad: The platform pad shall be constructed using three (3) sections of cross-linked polyethylene foam that fold to match the dimensions of the platform. The density of this foam is 2.0 lb/ft³ (32 g/m³). The center section is 21-1/4" wide and the side sections are 17-1/2" wide at the bottom. The entire pad is 22" high. The pads attach to the platform with Velcro. The cover material shall be a vinyl laminated polyester fabric with a 10 x 10 scrim and a finish weight of 14 oz. per square yard. The fabric contains anti-fungal and antibacterial agents and is easily cleaned using mild soap and water. The fabric must show 100% kill in the cidal test. The cover fabric meets the National Fire Protection Standard 701. All seams are stitched with nylon thread for durability. The thread used is a monocord N-200 UVR that has 16 strands of fused 80-denier nylon. The standard color is navy. Yellow, blue, red, tan, green, white, gray, black, maroon, gold, orange and pool blue are available for special orders.

Leg and cross bar pads: The leg and cross bar pads are constructed using 1" thick Rubatex[®] foam tubing that fit around the steel tubing of the platform. The leg pads are 36" long and the cross bar pad is 16" long. All attach with Velcro. The cover material shall be a vinyl laminated polyester fabric with a 10 x 10 scrim and a finish weight of 14 oz. per square yard. The fabric contains anti-fungal and antibacterial agents and is easily cleaned using mild soap and water. The fabric must show 100% kill in the cidal test. The cover fabric meets the National Fire Protection Standard 701. All seams are stitched with nylon thread for durability. The thread used is a monocord N-200 UVR that has 16 strands of fused 80 denier nylon. The standard color is navy. Yellow, blue, red, tan, green, white, gray, black, maroon, gold, orange and pool blue are available for special orders.

Shipping weight: 16 lbs.